

MG 7500 - Tin 12

7.5kVA Tin 12 Petrol Generator

When looking for robust, reliable, good quality 7.5kVA Tin 12 petrol generator, look no further than our MG 7500 - Tin 12. Fusion models are designed to suit Tin 12 gas and water applications for butt + electro boxes - 110V CTE.

Optional





7.5kVA (110V) AC Aux Power

Mecce Alte alternator

Honda petrol engine

Strong wrap-around frame

Only 80kg

Features Benefits

Plenty of power to run medium to large gas and water applications

Heavy duty and proven reliability and extra smooth wave form

Featuring low oil level shutdown

Great protection in tough environments

Extremely light weight



Specification

Performance Mecc Alte Alternator 7.5kVA/6kW Single Phase Power (110V) Single Phase Power (230V) N/A

Three Phase Power (400V)		N/A		
Noise Level	LWA=96	dBa@7m=71		
Insulation Class		Н		
Mechanical Protec	tion - IP	23		

Engine	
Make	Honda
Туре	GX390
Fuel	Petrol
Number of Cylinders	1
Power (HP)	13
Engine Speed (RPM)	3000
Cooling	Air

Fuel Consumption @ 75% Load (Litres/hour)						
Fuel Tank Capacity (Litres)						
Average Runtime (Hours)						
@ 100% Load TBA	@ 75% Load	2.5				
@ 50% Load TBA	@ 25% Load	TBA				
Starting System		Recoil				

Dimensions (Machine only)									
Width: 520 mm			Height: 560 mm						
Wet Weight (Fuel Full): TBA kg									
Dimensions (Trolley kit)									
Width: 680 mm Height: 710 mm				710 mm					
Dry Weight (No Fuel): 90 kg Wet Weight (Fuel Full): 96.5 kg									
3ph (400V)		1ph (:	1ph (230V)		1ph (110V)				
32A	16A	32A	16A	32A	16A				
-	-	-	-	1	2				
	it) Wi 3ph (it) Width: 680 n 3ph (400V)	Width: 680 mm Wash (400V) 1ph (200V)	Wet Weight Width: 680 mm Wet Weight 3ph (400V) 1ph (230V)	Wet Weight (Fuel Full) it) Width: 680 mm Height: Wet Weight (Fuel Full): 3ph (400V) 1ph (230V) 1ph (



All pictures are for illustration purposes only, actual machines supplied may differ in appearance and specification.

